

Measles Global Situation Update

June 2026

Number of reported measles cases by WHO Region

2026

Region	Member States*	Suspected MR cases	Measles cases	Clin	Epi	Lab	Date Received
AFR	41/47	58,109	36,682	10,355	19,007	7,320	2026-06
AMR	29/35	40,326	18,288	0	303	17,985	2026-06
EMR	20/21	36,290	21,958	10,837	4,037	7,084	2026-06
EUR	39/53	16,806	10,039	673	378	8,988	2026-06
SEAR	10/10	76,245	40,479	17,293	2,839	20,347	2026-06
WPR	25/28	18,073	6,157	1,349	1,990	2,818	2026-06
Total	164/194	245,849	133,603	40,507	28,554	64,542	

Region	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
AFR	9,915	11,363	9,196	4,990	1,210	8	0	0	0	0	0	0
AMR	3,509	5,478	5,270	2,680	1,351	0	0	0	0	0	0	0
EMR	5,817	5,193	5,476	5,368	104	0	0	0	0	0	0	0
EUR	2,733	2,796	2,459	1,999	52	0	0	0	0	0	0	0
SEAR	3,994	4,572	8,552	16,655	6,706	0	0	0	0	0	0	0
WPR	1,627	1,640	1,366	1,318	206	0	0	0	0	0	0	0
Total	27,595	31,042	32,319	33,010	9,629	8	0	0	0	0	0	0

2025

Region	Member States*	Suspected MR cases	Measles cases	Clin	Epi	Lab	Date Received
AFR	43/47	114,292	66,334	31,458	14,662	20,214	2026-06
AMR	35/35	42,747	14,635	94	3,004	11,537	2026-06
EMR	20/21	131,952	75,772	32,517	12,093	31,162	2026-06
EUR	47/53	52,970	36,654	4,939	6,021	25,694	2026-06
SEAR	10/10	110,155	19,906	3,976	4,406	11,524	2026-06
WPR	28/28	135,224	44,155	3,845	12,703	27,607	2026-06
Total	183/194	587,340	257,456	76,829	52,889	127,738	


Region	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
AFR	6,569	7,567	9,775	6,602	7,279	5,760	4,524	4,671	3,978	4,224	3,221	2,164
AMR	75	440	1,231	2,531	2,200	1,909	1,686	894	760	653	782	1,474
EMR	6,981	7,763	9,633	9,528	9,044	6,287	6,142	4,579	3,962	4,006	3,803	4,044
EUR	4,995	4,537	5,598	5,956	5,718	3,945	1,924	836	506	480	697	1,462
SEAR	1,377	1,563	2,035	2,104	1,631	1,176	1,218	898	1,234	1,711	2,087	2,872
WPR	2,618	2,711	2,372	2,341	5,761	8,169	4,855	4,594	4,211	3,711	1,873	939
Total	22,615	24,581	30,644	29,062	31,633	27,246	20,349	16,472	14,651	14,785	12,463	12,955

Notes: Based on data received 2026-06 – This is surveillance data, hence for the last month, the data may be incomplete. * Member States Reporting / Total Member States in Region

Measles/rubella verification of elimination


Measles

Region	Member States	Verified	% Verified	Eliminated	Endemic*	Not classified
AFR	47	3	6	0	44	0
AMR	35	33	94	0	1	1
EMR	21	4	19	2	15	0
EUR	53	32	60	1	19	1
SEAR	10	4	40	0	6	0
WPR	28	19	68	0	9	0
GLOBAL	194	95	49	3	94	2




Rubella

Region	Member States	Verified	% Verified	Eliminated	Endemic*	Not classified
AFR	47	3	6	0	44	0
AMR	35	34	97	0	0	1
EMR	21	4	19	2	15	0
EUR	53	49	92	0	0	4
SEAR	10	6	60	0	4	0
WPR	28	19	68	2	7	0
GLOBAL	194	115	59	4	70	5




Notes: Based on data available at WHO HQ as of 2026-06-12 . Terms used on this slide refer to the global framework for the verification of measles and rubella elimination. These terms might differ from those used by WHO Regional Offices. Verified = Elimination verified by Regional Verification Commission (RVC); Eliminated = Eliminated transmission but no RVC verification yet; *The endemic category on this slide also includes countries where transmission was reestablished.

Measles case distribution by month and WHO Region (2021-2026)



Based on data received 2026-06 - Data Source: IVB Database - This is surveillance data, hence for the last month(s), the data may be incomplete.

Measles Incidence Rate per Million (12M period)



Highest incidence rates

Country	Cases	Rate
Mongolia	13387	3,806.26
Lao People's Democratic Republic	5484	696.55
Yemen	28021	670.78
Kazakhstan	8894	426.70
Angola	14406	369.01
Cameroon	10960	366.81
Kyrgyzstan	2248	308.15
Central African Republic	1444	261.91
Madagascar	7799	238.21
Guatemala	3284	175.73



Map production: World Health Organization, 2026. All rights reserved
Data source: IVB Database


Disclaimer: The boundaries and names shown and the designations used on this map do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

Immunization Agenda 2030 – Impact Goal 1.3

Countries provisionally meeting the large or disruptive outbreaks definition – Data from 2025-02 to 2026-01 included

Country	Cases	Rate/M	Clinical*
Mongolia	13,677	3,845.31	0%
Kyrgyzstan	6,586	889.94	50%
Yemen	31,660	736.94	85%
Lao People's Democratic Republic	4,407	552.67	0%
Angola	13,258	329.68	85%
Kazakhstan	6,120	290.27	3%
Romania	5,385	286.43	3%
Central African Republic	1,183	207.58	0%
Tajikistan	2,255	205.40	0%
Afghanistan	8,820	195.80	0%
Cameroon	5,368	175.19	3%
Sudan	8,275	155.30	1%
Togo	1,350	153.76	2%
Georgia	507	133.26	15%
Canada	5,173	127.83	0%
Rwanda	1,841	123.64	96%
Madagascar	3,791	113.09	54%
Belize	44	102.65	5%
Somalia	1,794	88.35	0%
Namibia	267	84.67	28%
Congo	551	83.01	3%
Pakistan	21,140	81.53	21%
Nigeria	18,436	76.05	80%
Mexico	8,846	66.51	0%
Burundi	935	63.48	2%

Country	Cases	Rate/M	Clinical*
Republic of Moldova	184	62.14	3%
Indonesia	15,774	54.79	0%
Cambodia	897	49.69	0%
Ghana	1,687	47.26	92%
Philippines	5,297	44.99	70%
Russian Federation	6,295	43.90	0%
DR Congo	5,064	43.49	4%
Bolivia (Plurinational State of)	525	41.18	17%
South Africa	2,512	38.38	20%
Niger	1,094	37.97	8%
Malawi	854	37.48	1%
Ukraine	1,340	33.89	6%
Ethiopia	4,281	30.82	2%
Guinea	467	30.24	0%
Belgium	356	30.23	10%
Chad	646	29.96	3%
Netherlands (Kingdom of the)	504	27.32	0%
Côte d'Ivoire	892	26.63	0%
Equatorial Guinea	52	26.20	6%
Burkina Faso	614	24.96	16%
Liberia	141	24.09	0%
Benin	365	24.06	7%
Malaysia	863	23.72	24%
United Arab Emirates	251	21.69	10%
Serbia	140	21.08	77%
Saudi Arabia	721	20.50	0%




Total: 51 countries

In the frame of tracking progress towards the goals of Immunization Agenda 2030 (IA2030), an indicator has been developed by a working group in order to represent large or disruptive measles outbreaks. This indicator is defined as an incidence equal or greater than 20 reported measles cases per million population over a period of 12 months. It is important to note that measles outbreak definitions vary between countries and regions according to local context and level of progress towards regional elimination goals. This definition of large or disruptive outbreaks aims to complement and not replace the national and regional definitions, while also providing a degree of global standardization and permitting tracking of progress against a common metric.

Notes: Based on data received 2026-06 and covering the period between 2025-02 and 2026-01 – Incidence: Number of cases / 1M population – Population Data: World population prospects, 2024 revision – A high proportion of clinical cases indicates a high level of uncertainty associated with the incidence rates and the inclusion of countries in this list.

Number of Reported Measles Cases (Last 6 months)



Country	Cases*
India**	23,361
Bangladesh	14,704
Yemen	12,708
Mexico	11,889
Pakistan	10,626
Cameroon	9,037
Kazakhstan	7,597
Angola	7,038
Madagascar	5,844
Sudan	4,158




Map production: World Health Organization, 2026. All rights reserved
Data source: IVB Database

Disclaimer: The boundaries and names shown and the designations used on this map do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

Notes: Based on data received 2026-06 – Surveillance data from 2025-11 to 2026-04 – * Countries with highest number of cases for the period – **WHO classifies all suspected measles cases reported from India as measles clinically compatible if a specimen was not collected as per the algorithm for classification of suspected measles in the WHO VPD Surveillance Standards. Thus numbers might be different between what WHO reports and what India reports.

Surveillance sensitivity reporting rate of measles and rubella (12 months, discarded cases* per 100,000 population)



Map production: World Health Organization, 2026. All rights reserved
Data source: IVB Database

Disclaimer: The boundaries and names shown and the designations used on this map do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.


Notes: Based on data received 2026-06 – Surveillance data from 2025-05 to 2026-04 – Target: ≥ 2 discarded cases* / 100,000 population** – * Suspected cases investigated and discarded as non-measles non-rubella using laboratory testing and/or epidemiological linkage to another etiology ** World population prospects, 2024 revision

Disclaimer

This document contains data provided to WHO by member states. Note that some member states only provide aggregate data to WHO, and for these, we are unable to generate a country profile. Some member states report all cases at one time point for the entire year, and thus epidemiologic curves generated are not accurate and a reporting artifact. For some countries, cases are reported by age category, not by exact age in months and/or years. Thus, age distribution/incidence is approximate. Cases classified as pending by countries are classified at WHO as clinically compatible at this time, and thus numbers might differ between data shown here and provided by the member state or WHO country/regional offices.




*UN population data is used as the denominator for calculating incidence.

Measles case distribution (AFR), 2021-2026



Measles cases: Angola




ELIMINATION STATUS: **ENDEMIC**



Based on data received 2026-06 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Cameroon





ELIMINATION STATUS: **ENDEMIC**



Based on data received 2026-06 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Democratic Republic of the Congo





ELIMINATION STATUS: ENDEMIC



Based on data received 2026-06 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Ethiopia




ELIMINATION STATUS: **ENDEMIC**



Based on data received 2026-06 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Madagascar





ELIMINATION STATUS: **ENDEMIC**



Based on data received 2026-06 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Nigeria




ELIMINATION STATUS: **ENDEMIC**



Based on data received 2026-06 – Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)


Measles cases: Rwanda

ELIMINATION STATUS: **ENDEMIC**






Based on data received 2026-06 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles case distribution (AMR), 2021-2026



Measles cases: Canada




ELIMINATION STATUS: **RE-ESTABLISHED**



Based on data received 2026-06 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Guatemala




ELIMINATION STATUS: **VERIFIED**



Based on data received 2026-06 - Data Source: IVB Database. Main epi curve was built using a combination of case-based and aggregate surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Mexico




ELIMINATION STATUS: **VERIFIED**



Based on data received 2026-06 – Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Peru


ELIMINATION STATUS: **VERIFIED**




Based on data received 2026-06 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: United States of America


ELIMINATION STATUS: **VERIFIED**



No data available or no case reported in the last 12 months







Measles case distribution (EMR), 2021-2026



Measles cases: Pakistan




ELIMINATION STATUS: **ENDEMIC**



Based on data received 2026-06 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Sudan




ELIMINATION STATUS: **ENDEMIC**



Based on data received 2026-06 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)


Measles cases: Yemen

ELIMINATION STATUS: **ENDEMIC**






Based on data received 2026-06 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles case distribution (EUR), 2021-2026



Measles cases: Albania




ELIMINATION STATUS: **VERIFIED**



Based on data received 2026-06 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)


Measles cases: Bulgaria

ELIMINATION STATUS: **VERIFIED**



Based on data received 2026-06 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)




Measles case distribution (SEAR (excl. India)), 2021-2026



Based on data received 2026-06 - Data Source: IVB Database

Measles cases: Bangladesh




ELIMINATION STATUS: **ENDEMIC**



Based on data received 2026-06 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)


Measles cases: Nepal

ELIMINATION STATUS: **ENDEMIC**







Based on data received 2026-06 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles case distribution (SEAR, India), 2021-2026




Measles cases: India

ELIMINATION STATUS: **ENDEMIC**







Based on data received 2026-06 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles case distribution (WPR), 2021-2026



Measles cases: Indonesia




ELIMINATION STATUS: **ENDEMIC**



Based on data received 2026-06 - Data Source: IVB Database. Main epi curve was built using a combination of case-based and aggregate surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Japan




ELIMINATION STATUS: **VERIFIED**



Based on data received 2026-06 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)


Measles cases: Lao People's Democratic Republic

ELIMINATION STATUS: **ENDEMIC**



Based on data received 2026-06 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Distribution of measles genotypes (last 12 months)



Map production: World Health Organization, 2026. All rights reserved
Data source: IVB Database

Disclaimer: The boundaries and names shown and the designations used on this map do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.